

# DMA 162

## TWO CHANNEL MATRIX AMPLIFIER

### DESCRIPTION

DMA 162 is a two-channel Class-D matrix amplifier equipped with a powerful DSP platform, allowing managing inputs and outputs in terms of routing and equalization. A complete set of processing functions is available, including presets for RCF speakers, proprietary bass enhancer algorithm, FIR filters, and environmental equalization. Thanks to its extremely compact size, accurate design, and robustness, it is ideal for a wide range of business music applications.



### FEATURES

- 2 x 160 W Class-D power amplifier
- 20 ÷ 20000 Hz frequency range
- Full on-board processing
- RCF speakers' presets
- Proprietary bass enhancer algorithm
- FiRPHASE linear phase filters
- Flexible and scalable multi-room architecture
- Suitable for desktop or rack installation
- RDNet ready for networked management
- Remote controls and paging console accessories

## TECHNICAL SPECIFICATIONS

### Amplifier specifications

Amplifier Class:	D
Number of channels:	2
Power output per channel (@ 4 ohm):	160 W RMS
Power output (bridged @ 4 ohm):	320 W RMS
Power output (@ 100 V):	320 W RMS
Frequency Response (-3dB):	20 Hz ÷ 20000 kHz
Signal/noise rate ("A" weighted)	>93 dB dB
Distortion (THD+N) @ 1 kHz nominal power:	<0.01 %%

### Input section

Total number of inputs:	4
Balanced:	2
Unbalanced:	2
Mono:	2
Stereo:	2
VOX:	Yes
Line inputs:	2
Line connectors:	JACK, RCA
Mic+Line inputs:	1
Mic+Line connectors:	Euroblock
VOX:	Yes
Paging inputs:	1
Paging connectors:	RJ45
Paging command:	Contact
General Purpose Inputs (GPI):	1

### Output section

Signal output number:	1
Signal output connectors:	RCA
Power output connectors:	Euroblock

### Processing

DSP:	Yes
EQ Filters:	Yes
FIR:	Yes
Compressors:	Yes
Tone controls:	Yes
High-pass filter:	80 ÷ 200 Hz

### Controls

Configuration:	Front panel, PC Software
----------------	--------------------------

### Protections

Cooling:	Forced
Short circuit:	Yes
Thermal:	Yes
DC:	Yes
Fuses:	Yes
VHF (Very High Frequencies):	Yes



<b>Power requirement</b>	Operating voltage:	90-240 V~ 50/60HzV ~ Hz
	Power consumption (MAX):	400 W
<b>Standard compliance</b>	CE marking:	Yes
	Energy Star:	Yes
<b>Physical specifications</b>	Cabinet/Case Material:	Metal
	Color:	Black
	Rack mounting:	1/2 19", 1U , Optional rack mounting accessory required
<b>Size</b>	Height:	44 mm / 1.73 inches
	Width:	213 mm / 8.39 inches
	Depth:	314 mm / 12.36 inches
	Weight:	1.7 kg / 3.75 lbs
<b>Shipping informations</b>	Package Height:	106 mm / 4.17 inches
	Package Width:	360 mm / 14.17 inches
	Package Depth:	381 mm / 15 inches
	Package Weight:	2.7 kg / 5.95 lbs

**PART NUMBER**

• **12100044**

DMA 162 UK  
 UK  
 EAN 8024530018443

• **12100041**


DMA 162 US  
 US  
 EAN 8024530018412

• **12100027**




DMA 162 EU  
 EU  
 EAN 8024530017156

**DRAWINGS**

Front panel



Rear panel



**ACCESSORIES**

ACCESSORY RC 401 EU B

PART NUMBER **12399051**  
EAN: 8024530017217

ACCESSORY RC 401 EU W

PART NUMBER **12399052**  
EAN: 8024530017224

ACCESSORY RC 401 US B

PART NUMBER **12399053**  
EAN: 8024530017231

ACCESSORY RC 401 US W

PART NUMBER **12399054**  
EAN: 8024530017248

ACCESSORY RDNET BOARD DMA

PART NUMBER **12399048**  
EAN: 8024530017750

MIC CONSOLE BM 404

PART NUMBER **14322031**  
EAN:

RACK ACCESSORY AR 1050

PART NUMBER **17360039**  
EAN: 8024530016180

RACK MOUNT KIT RM-KIT DMA

PART NUMBER **13360426**  
EAN: 8024530017415