

FUZE SFX



300W LED Spot/FX Fixture with CMY

DATA SHEET



KEY FEATURES

- 300W LED 6,600K White LED Engine
- 12,135 Total Lumen Fixture Output
- Spot and Effects Fixture
- Zoom Range from 4.5° to 38°
- Variable CMY and 7-Position Color Wheel
- 8 Rotating and 10 Fixed Gobos
- Dual Independent Prisms for Layering
- Motorized Iris
- Variable Wash Frost Filter

The **FUZE SFX™** is a new concept LED Spot FX fixture designed for a variety of applications requiring a compact and powerful multi-purpose luminaire. The SFX is capable of projecting tight beams to wide washes using a highly efficient optical design while providing over 12,000 lumens of output from its 300W white LED engine.

Housing 18 carefully designed gobos and a 4.5° to 38° zoom, the **FUZE SFX** can create stunning mid-air FX as easily as precise image projections. The SFX allows for even stage washes utilizing its variable frost filter while a wide array of beautiful colors is possible from a seamless CMY color-mixing system plus color wheel. Dual independent rotating and overlaying prisms plus a fast iris round out the comprehensive feature set.

A truly remarkable compact powerhouse for any application, the **FUZE SFX** is sure to create amazing effects, outstanding projections and beautiful bright washes on any stage.



FUZE SFX



300W LED Spot/FX Fixture with CMY

SPECIFICATIONS

SOURCE

300W 6,600K Bright White LED Engine
20,000 Hour Average LED Life*
*Test lab conditions. May vary depending on several factors including but not limited to: Environmental Conditions, Power/Voltage, Usage Patterns (On-Off Cycling), Control, and Dimming.

PHOTOMETRIC DATA

12,135 Total Lumen Output
CRI 68+
Zoom Range 4.5° - 38°
Beam Angle 4.6° - 38.2°
Field Angle 5.6° - 42.2°

EFFECTS

Motorized Zoom
Remote Focus
Variable Frost Filter
Dual Independent Prisms (6 Facet linear & 6 Facet round)
Motorized Iris
Variable 16-bit Dimming Curve Modes
High Speed Electronic Shutter and Strobe
Pan Angle: 540°/630°
Tilt Angle: 270°

COLOR

CMY Variable Color Mix
7 Position Color Wheel
High CRI Filter, CRI 84
CTO Filter, 3200K, CRI 77

GOBOS

2 Gobo Wheels
Wheel #1 with 8 Rotating / Interchangeable Glass Gobos
Wheel #2 with 10 Static Gobos

CONTROL / CONNECTIONS

31 DMX Channels
16-bit Pan, Tilt, and Dimming Control
DMX Adjustable LED Frequency
DMX, RDM, E-FLY Wireless, Art-Net, sACN Protocol Support
4 Button Touch Control Panel
Full Color 180° Reversible LCD Menu Display
Locking 5pin XLR Connector In/Out
Locking RJ45 Ethernet Connector In/Out
IP65 Locking Power Connector In/Out
USB Connection (Firmware Updates)
With Wired Digital Communication Network

SIZE / WEIGHT

Length: 14.3" (362mm)
Width: 9.2" (233mm)
Vertical Height: 23.4" (595mm)
Weight: 46.3 lbs. (19.3kg)

ELECTRICAL / THERMAL

AC 100-240V - 50/60Hz
432W Max Power Consumption
14°F to 113°F (-10°C to 45°C)
BTU/hr (+/- 10%) 1473.12

APPROVALS / RATINGS

CE | cETLus | IP20




FUZE SFX




300W LED Spot/FX Fixture with CMY

GOBOS

Gobo Wheel 1 (Rotating)



Gobo Wheel 2 (Static)



ORDERING INFORMATION

SKU NUMBER	DESCRIPTION
FUZ406	FUZE SFX (US)
1237000223	FUZE SFX (EU)
FUZ418	Fuze SFX White (US)



FUZE SFX



300W LED Spot/FX Fixture with CMY

UNIT DIMENSIONS

