



SENNHEISER BUSINESS SOLUTIONS

# Business Communication Microphone Guide 2022

SENNHEISER



Lavalier microphones	3
Headmics (headset microphones)	6
Goosenecks and table stand transmitters	10
Boundary microphones	16
Microphone capsules	22
Microphone pick-up patterns and types	27



## Business Communication

# Sennheiser Lavalier Mic Portfolio

It doesn't matter whether you're presenting to clients, delivering a keynote at a conference or lecturing to a theater full of students, you need to trust in your equipment and feel free and comfortable to move around and be yourself.

You can fulfill all of that and more with the wide range of lavalier microphones offered by Sennheiser – from our rugged presentation clip-on to the all-rounder for speech applications.

Sennheiser Business Communication microphones are small, unobtrusive, easy to attach and powerful; picking up nothing more than your voice and helping you to be heard without effort.



### Lavalier portfolio

**MKE 1** The first choice for professional presentations/conferences - a very discreet lavalier mic with a very small capsule and great sound quality

	Article number	Pattern	Colour	Connector	Capsule	Cable	Web link
MKE 1-ew 	<b>502876</b>	Omni-directional	Black	3.5 mm jack	MKE 1	1.6 m	<b>PRODUCT WEB PAGE</b>

MKE 1-ew-3 	<b>502879</b>	Omni-directional	Beige	3.5 mm jack	MKE 1	1.6 m	<b>PRODUCT WEB PAGE</b>
--	---------------	------------------	-------	-------------	-------	-------	-------------------------

**MKE 2** A great choice for professional presentations/conferences - a very discreet lavalier mic with perfect sound quality. MKE 2 is developed with broadcast and theater in mind - an extremely sweat resistant mic

	Article number	Pattern	Colour	Connector	Capsule	Cable	Web link
MKE 2-ew-GOLD 	<b>009831</b>	Omni-directional	Black	3.5 mm jack	MKE 2	1.6 m	<b>PRODUCT WEB PAGE</b>

MKE 2-ew-3-GOLD 	<b>009832</b>	Omni-directional	Beige	3.5 mm jack	MKE 2	1.6 m	<b>PRODUCT WEB PAGE</b>
--	---------------	------------------	-------	-------------	-------	-------	-------------------------

**MKE 40** A great choice for more difficult acoustic situations - lavalier mic with great sound quality. Might not be a mic for everyone due to slightly bigger capsule size

	Article number	Pattern	Colour	Connector	Capsule	Cable	Web link
MKE 40-ew 	<b>500527</b>	Cardioid	Black	3.5 mm jack	KE 10	1,1 m	<b>PRODUCT WEB PAGE</b>



## Lavalier portfolio

**MKE ESSENTIAL** A lavalier microphone with great sound quality at a reasonable price point

	Article number	Pattern	Colour	Connector	Capsule	Cable	Web link
MKE Essential Omni	<b>508249</b>	Omni-directional	Black	3.5 mm jack	KE 4	1.6 m	<b>PRODUCT WEB PAGE</b>



MKE Essential Omni	<b>508250</b>	Omni-directional	Beige	3.5 mm jack	KE 4	1.6 m	<b>PRODUCT WEB PAGE</b>
--------------------	---------------	------------------	-------	-------------	------	-------	-------------------------



**ME 4** An entry-level cardioid lavalier mic with good sound quality at a reasonable price point

	Article number	Pattern	Colour	Connector	Capsule	Cable	Web link
ME 4	<b>508936</b>	Cardioid	Black	3.5 mm jack	3rd party capsule	1.6 m	<b>PRODUCT WEB PAGE</b>



**ME 2** An entry-level lavalier mic with reliable sound quality; comes as a standard lavalier for ew series

	Article number	Pattern	Colour	Connector	Capsule	Cable	Web link
ME 2	<b>508935</b>	Omni-directional	Black	3.5 mm jack	3rd party capsule	1.6 m	<b>PRODUCT WEB PAGE</b>



**MKE Mini** An ultra-light (7 g) presenter microphone for speech and lecture with time saving mic up possibilities

	Article number	Pattern	Colour	Connector	Capsule	Cable	Web link
MKE <i>mini</i>	<b>700179</b>	Omni-directional	Black	3.5 mm jack	KE 4	26 mm	<b>PRODUCT WEB PAGE</b>





## Business Communication

# Sennheiser Headmics (Headset Microphone) Portfolio

Sennheiser headset microphones feature a strong and sturdy design that's light enough not to impact your ability to present naturally, whether in a conference hall or lecture theater.

You can choose from a range of headmics that are lightweight, adjust perfectly to your head and come in the color and size you want.

Sennheiser believes that high speech intelligibility is the most important factor for headset microphones. With features like excellent feedback rejection, detachable wind/popshields and twist proof booms that can be attached to the left or right, Sennheiser headmics will never let you down.

If you need a hands-free system, the Sennheiser headset microphones offer you the right solution.



## Headmics (headset microphones) portfolio

SL HEADMIC 1		The most comfortable-to-use presenter headmic designed for any speech situation where high quality sound is required				
	Article number	Pattern	Colour	Capsule	Modularity	Web link
SL HEADMIC 1 BE 	<b>506272</b>	Omni-directional	Beige	MKE 1	Yes – all elements can be individually replaced	<b>PRODUCT WEB PAGE</b>
SL HEADMIC 1 BK 	<b>506271</b>	Omni-directional	Black	MKE 1	Yes – all elements can be individually replaced	<b>PRODUCT WEB PAGE</b>
SL HEADMIC 1 SB 	<b>506904</b>	Omni-directional	Silver	MKE 1	Yes – all elements can be individually replaced	<b>PRODUCT WEB PAGE</b>
HSP 2		A headmic developed with professional speakers/C-level executives in mind. HSP 2 requires professional installation support				
	Article number	Pattern	Colour	Capsule	Modularity	Web link
HSP 2-ew 	<b>009866</b>	Omni-directional	Anthracite	MKE 2	Yes – all elements can be individually replaced	<b>PRODUCT WEB PAGE</b>
HSP 2-ew-3 	<b>009872</b>	Omni-directional	Beige	MKE 2	Yes – all elements can be individually replaced	<b>PRODUCT WEB PAGE</b>



### Headmics (headset microphones) portfolio

<b>HSP 4</b>		The best cardioid headmic for professional users. Light, discreet and very comfortable mic				
	Article number	Pattern	Colour	Capsule	Modularity	Web link
HSP 4-ew 	<b>009867</b>	Cardioid	Anthracite	KE 4	Yes - all elements can be individually replaced	<b>PRODUCT WEB PAGE</b>
HSP 4-ew-3 	<b>009873</b>	Cardioid	Beige	KE 4	Yes - all elements can be individually replaced	<b>PRODUCT WEB PAGE</b>
<b>HSP ESSENTIAL</b>		A reasonably priced headmic designed for any speech situation where high quality sound is needed				
	Article number	Pattern	Colour	Capsule	Modularity	Web link
HSP ESSENTIAL Omni Black 	<b>508245</b>	Omni-directional	Black	MKE 2	Yes – most elements can be individually replaced. Non-removable cable	<b>PRODUCT WEB PAGE</b>
HSP ESSENTIAL Omni Beige 	<b>508246</b>	Omni-directional	Beige	MKE 2	Yes – most elements can be individually replaced. Non-removable cable	<b>PRODUCT WEB PAGE</b>



## Headmics (headset microphones) portfolio

HS 2		A robust headmic developed for speech and meeting occasions where microphone needs to be managed without professional AV support				
	Article number	Pattern	Colour	Capsule	Modularity	Web link
HS 2 BK 	<b>508883</b>	Omni-directional	Black	MKE 2	No	<b>PRODUCT WEB PAGE</b>
HS 2 BE 	<b>508882</b>	Omni-directional	Beige	MKE 2	No	<b>PRODUCT WEB PAGE</b>
ME 3		An entry-level headmic perfect for standard meetings and lectures				
	Article number	Pattern	Colour	Capsule	Modularity	Web link
ME 3 	<b>508928</b>	Cardioid	Black	KE 10	No	<b>PRODUCT WEB PAGE</b>



## Business Communication

# Sennheiser Gooseneck Portfolio

From conference keynotes to university lectures, a gooseneck microphone affords you the freedom to project your voice hands-free with the flexibility to position the mic where it's best suited for you to deliver the best quality audio.

Sennheiser's flexible goosenecks have a strong and stylish design. They are streamlined for seamless integration into any environment where speech matters and boast RF shielding against intermodulation from wireless devices and mobile phones.

You can rest easy and be prepared for any audio situation, no matter how challenging, and know that you will experience top-class speech intelligibility and reliability with Sennheiser gooseneck microphones.



## Gooseneck portfolio

	Article number	Colour	Connector	Additional info	Compatible tablestands	Web link
MZH 3015 	<b>005074</b>	Black	XLR-3	Metal gooseneck for use with the ME 34, ME 35 and ME 36 microphone heads, length of 150 mm	SL TABLESTAND 133-S DW, MAT 133-S, MAT 133	<b>PRODUCT WEB PAGE</b>
MZH 3015 W 	<b>504608</b>	White	XLR-3	Metal gooseneck for use with the ME 34, ME 35 and ME 36 microphone heads, length of 150 mm	MAT 133-S, MAT 133	<b>PRODUCT WEB PAGE</b>
MZH 3040 	<b>005076</b>	Black	XLR-3	Metal gooseneck for use with ME 34, ME 35 and ME 36 microphone heads, length of 400 mm	SL TABLESTAND 133-S DW-3/4/5/6, MAT 133-S, MAT 133	<b>PRODUCT WEB PAGE</b>
MZH 3042 	<b>009384</b>	Black	XLR-3	Metal gooseneck with two flexible sections for use with the ME 34, ME 35 and ME 36 microphone heads, length of 400 mm	MAT 133-S, MAT 133	<b>PRODUCT WEB PAGE</b>
MZH 3062 	<b>500652</b>	Black	XLR-3	Metal gooseneck with two flexible sections for use with the ME 34, ME 35 and ME 36 microphone heads, length of 600 mm	MAT 153-S, MAT 133-S, MAT 133	<b>PRODUCT WEB PAGE</b>
MZH 3072 	<b>500653</b>	Black	XLR-3	Metal gooseneck with two flexible sections for use with the ME 34, ME 35 and ME 36 microphone heads, length of 700 mm	MAT 133-S, MAT 133	<b>PRODUCT WEB PAGE</b>

**Gooseneck portfolio**

	Article number	Colour	Connector	Additional info	Compatible tablestands	Web link
MEG 14-40 B 	<b>504791</b>	Black	XLR-3	Gooseneck with integrated Sennheiser KE10 microphone capsule, cardioid directivity for universal miking, length of 450 mm	SL TABLESTAND 133-S DW, MAT 133, MAT 133-S	<b>PRODUCT WEB PAGE</b>
MEG 14-40-L B 	<b>504792</b>	Black	XLR-5	Gooseneck with integrated Sennheiser KE10 microphone capsule, cardioid directivity for universal miking, integrated light ring in red, length of 450 mm	MAT 153-S B	<b>PRODUCT WEB PAGE</b>
MEG 14-40-L-II B 	<b>506398</b>	Black	XLR-5	Gooseneck with integrated Sennheiser KE10 microphone capsule, cardioid directivity for universal miking, integrated light ring in green, length of 450 mm	MAT 153-S B and SL Tablestand 153-S DW	<b>PRODUCT WEB PAGE</b>



### Tablestand portfolio

**SL TABLESTAND 133-S DW**

A sturdy, wireless tablestand that provides a stable base for XLR-3 gooseneck microphones. The SL TABLESTAND 133-S has a user-friendly microphone button with a two-color status display and can either be charged wirelessly or via USB. The TTL logic output on the underside can be used to activate a camera or media control system. The SL TABLESTAND 133-S can be remote controlled with Sennheiser Control Cockpit

	Article number	Cable	Colour	Connector	Regions	Compatible goosenecks	Web link
SL TABLESTAND 133-S DW-3 	<b>506610</b>	Wireless	Black	XLR 3	Europe & UK, India, Indonesia, Hong Kong, Singapore, Malaysia, Australia	MEG 14-40, MZH 3015, MZH 3040	<b>PRODUCT WEB PAGE</b>
SL TABLESTAND 133-S DW-4 	<b>506626</b>	Wireless	Black	XLR 3	USA, Canada, Latin America	MEG 14-40, MZH 3015, MZH 3040	<b>PRODUCT WEB PAGE</b>
SL TABLESTAND 133-S DW-5 	<b>506649</b>	Wireless	Black	XLR 3	Japan	MEG 14-40, MZH 3015, MZH 3040	<b>PRODUCT WEB PAGE</b>
SL TABLESTAND 133-S DW-6 	<b>506639</b>	Wireless	Black	XLR 3	Taiwan	MEG 14-40, MZH 3015, MZH 3040	<b>PRODUCT WEB PAGE</b>



## Tablestand portfolio

SL TABLESTAND 153-S DW	A wireless tablestand designed for a solid connection with the MEG 14-40-L-II B gooseneck microphone. It can either be charged wirelessly or via USB and remote controlled with Sennheiser Control Cockpit						
	Article number	Cable	Colour	Connector	Regions	Compatible goosenecks	Web link
SL TABLESTAND 153-S DW-3 B 	<b>506612</b>	Wireless	Black	XLR 5	Europe & UK, India, Indonesia, Hong Kong, Singapore, Malaysia, Australia	MEG 14-40-L-II B	<b>PRODUCT WEB PAGE</b>
SL TABLESTAND 153-S DW-4 B 	<b>506628</b>	Wireless	Black	XLR 5	USA, Canada, Latin America	MEG 14-40-L-II B	<b>PRODUCT WEB PAGE</b>
SL TABLESTAND 153-S DW-5 B 	<b>506651</b>	Wireless	Black	XLR 5	Japan	MEG 14-40-L-II B	<b>PRODUCT WEB PAGE</b>
SL TABLESTAND 153-S DW-6 B 	<b>506641</b>	Wireless	Black	XLR 5	Taiwan	MEG 14-40-L-II B	<b>PRODUCT WEB PAGE</b>



### Tablestand portfolio

**MAT 153-S** A rugged, wired table stand that provides a stable base for XLR-5 gooseneck microphones with a user-friendly microphone button featuring a two-color status display. TTL logic output on the underside can be used to activate a camera or media control system

	Article number	Cable	Colour	Connector	Regions	Compatible goosenecks	Web link
MAT 153-S	<b>505626</b>	Wired	Black	XLR 5	All	MEG 14-40-L-II B	<b>PRODUCT WEB PAGE</b>



**MAT 133** A rugged, wired table stand that provides a stable base for XLR-3 gooseneck microphones

	Article number	Cable	Colour	Connector	Regions	Compatible goosenecks	Web link
MAT 133	<b>505622</b>	Wired	Black	XLR 3	All	MZH 3015, MZH 3040, MZH 3042, MZH 3062, MZH 3072, MEG 14-40	<b>PRODUCT WEB PAGE</b>



**MAT 133-S** A rugged, wired table stand that provides a stable base for XLR-3 gooseneck microphones and a user-friendly microphone button with a two-color status display. TTL logic output on the underside can be used to activate a camera or media control system

	Article number	Cable	Colour	Connector	Regions	Compatible goosenecks	Web link
MAT 133-S	<b>505624</b>	Wired	Black	XLR 3	All	MZH 3015, MZH 3040, MZH 3042, MZH 3062, MZH 3072, MEG 14-40	<b>PRODUCT WEB PAGE</b>





## Business Communication

# Sennheiser Boundary Mics Portfolio

Boundary microphones are purposely designed to be flat and unobtrusive so they're not visible in meetings, board rooms and conference suites.

The location is key to a boundary microphone as it will produce natural sounding speech intelligibility with very little reverberation and echo when placed on (or within) boundary surfaces such as table tops.

The design and technology in all Sennheiser boundary microphone systems ensure speakers can move around a room without their voice dropping out and the variants with and without cables ensure a wider range of application possibilities.

Optically unobtrusive but powerful acoustically, our range of boundary mics give you a simple but reliable communication experience.



## Boundary microphone portfolio

### MEB 114-S

A wired table boundary microphone with half-cardioid pickup pattern and optimal speech intelligibility. The MEB 114-S has a programmable microphone button and a two-color LED ring as a status indicator. The TTL logic output on the underside can be used to activate a camera/media control system

	Article number	Pattern	Colour	Connector	Regions	Web link
MEB 114-S B	<b>505615</b>	Cardioid	Black	Miniature XLR-3; clip contact	All	<b>PRODUCT WEB PAGE</b>



MEB 114-S W	<b>505616</b>	Cardioid	White	Miniature XLR-3; clip contact	All	<b>PRODUCT WEB PAGE</b>
-------------	---------------	----------	-------	-------------------------------	-----	-------------------------



### MEB 114

A wired table boundary microphone with half-cardioid pickup pattern. Its sturdy housing and high-quality microphone capsule guarantee optimum speech intelligibility

	Article number	Pattern	Colour	Connector	Regions	Web link
MEB 114 B	<b>505612</b>	Cardioid	Black	Miniature XLR-3	All	<b>PRODUCT WEB PAGE</b>



MEB 114 W	<b>505613</b>	Cardioid	White	Miniature XLR-3	All	<b>PRODUCT WEB PAGE</b>
-----------	---------------	----------	-------	-----------------	-----	-------------------------





## Boundary microphone portfolio

### SL BOUNDARY 114-S DW

The SL Boundary 114-S DW is a wireless table boundary microphone with half-cardioid pickup pattern. It has a programmable microphone button (PTT, PTM, Toggle on/off, Permanent on) and a two-color LED ring as a status indicator. It can be charged wirelessly or via USB, remote controlled via the Sennheiser Control Cockpit and has an operation time of battery pack of up to 13h

	Article number	Pattern	Colour	Connector	Regions	Web link
SL BOUNDARY 114-S DW-6 B	<b>506636</b>	Cardioid	Black	Wireless	Taiwan	<b>PRODUCT WEB PAGE</b>
						
SL BOUNDARY 114-S DW-5 B	<b>506646</b>	Cardioid	Black	Wireless	Japan	<b>PRODUCT WEB PAGE</b>
						
SL BOUNDARY 114-S DW-4 B	<b>506623</b>	Cardioid	Black	Wireless	USA, Canada, Latin America	<b>PRODUCT WEB PAGE</b>
						
SL BOUNDARY 114-S DW-3 B	<b>506607</b>	Cardioid	Black	Wireless	Europe & UK, India, Indonesia, Hong Kong, Singapore, Malaysia, Australia	<b>PRODUCT WEB PAGE</b>
						



### Boundary microphone portfolio

**MEB 102** A wired boundary microphone with omni-directional pick-up pattern. It can be installed simply on tables or in ceilings

	Article number	Pattern	Colour	Connector	Regions	Web link
MEB 102 B	<b>505600</b>	Omni-directional	Black	XLR-3	All	<b>PRODUCT WEB PAGE</b>



MEB 102 W	<b>505601</b>	Omni-directional	White	XLR-3	All	<b>PRODUCT WEB PAGE</b>
-----------	---------------	------------------	-------	-------	-----	-------------------------



**MEB 102-L** A wired boundary microphone with omni-directional pick-up pattern and bi-color LED ring for status indication. It can be installed simply on tables or in ceilings

	Article number	Pattern	Colour	Connector	Regions	Web link
MEB 102-L B	<b>505603</b>	Omni-directional	Black	XLR-5	All	<b>PRODUCT WEB PAGE</b>



MEB 102-L W	<b>505604</b>	Omni-directional	White	XLR-5	All	<b>PRODUCT WEB PAGE</b>
-------------	---------------	------------------	-------	-------	-----	-------------------------





### Boundary microphone portfolio

**MEB 104** A wired boundary microphone which can be installed simply on tables or in ceilings. The microphone capsule with cardioid pickup pattern guarantees optimum speech intelligibility, and its robust housing provides the perfect protection

	Article number	Pattern	Colour	Connector	Regions	Web link
MEB 104 B	<b>505606</b>	Cardioid	Black	XLR-3	All	<b>PRODUCT WEB PAGE</b>



MEB 104 W	<b>505607</b>	Cardioid	White	XLR-3	All	<b>PRODUCT WEB PAGE</b>
-----------	---------------	----------	-------	-------	-----	-------------------------



**MEB 104-L** A wired boundary microphone which can be installed simply on tables or in ceilings. The MEB 104-L comes with a user-friendly bi-color LED ring for status indication and a microphone capsule with cardioid pickup pattern that guarantees optimum speech intelligibility

	Article number	Pattern	Colour	Connector	Regions	Web link
MEB 104-L B	<b>505609</b>	Cardioid	Black	XLR-5	All	<b>PRODUCT WEB PAGE</b>



MEB 104-L W	<b>505610</b>	Cardioid	White	XLR-5	All	<b>PRODUCT WEB PAGE</b>
-------------	---------------	----------	-------	-------	-----	-------------------------





## Boundary microphone portfolio

**MAS 1** A robust microphone button with understated design and intuitive pictograms. Together with the MAS 133 inline switch box, MAS 1 can be used to control any microphone connected via XLR with switchable activation modes (PTT, PTM, Toggle on/off, Permanent on)

	Article number	Pattern	Colour	Connector	Regions	Web link
MAS 1 B 	<b>505618</b>	N/A - microphone button	Black	XLR-5	All	<b>PRODUCT WEB PAGE</b>
MAS 1 W 	<b>505619</b>	N/A - microphone button	White	XLR-5	All	<b>PRODUCT WEB PAGE</b>



## Business Communication

# Sennheiser Capsule Portfolio

Reliability is essential whenever you step to the microphone.

Sennheiser's portfolio of microphone capsules range from unobtrusive lavaliers to stylish table mounted goosenecks and all boast high speech intelligibility and seamless integration into any environment where the spoken word matters most.

They're user-friendly, digitally operable and give you an authentic communication experience even in the most challenging of situations.



**Microphone capsule portfolio**

	Article number	Pattern	Mic type	Colour	Additional info	Compatible goosenecks	Web link
ME 34 	<b>005060</b>	Cardioid	Condenser	Black	Polarized condenser microphone head for use with Sennheiser MZH goosenecks	MZH 3015, MZH 3040, MZH 3042, MZH 3062, MZH 3072	<b>PRODUCT WEB PAGE</b>
ME 34 W 	<b>005061</b>	Cardioid	Condenser	White	Polarized condenser microphone head for use with Sennheiser MZH goosenecks	MZH 3015, MZH 3040, MZH 3042, MZH 3062, MZH 3072	<b>PRODUCT WEB PAGE</b>
ME 35 	<b>005063</b>	Super-cardioid	Condenser	Black	Polarized condenser microphone capsule for use with Sennheiser MZH goosenecks	MZH 3015, MZH 3040, MZH 3042, MZH 3062, MZH 3072	<b>PRODUCT WEB PAGE</b>
ME 35 W 	<b>005064</b>	Super-cardioid	Condenser	White	Polarized condenser microphone capsule for use with Sennheiser MZH goosenecks	MZH 3015, MZH 3040, MZH 3042, MZH 3062, MZH 3072	<b>PRODUCT WEB PAGE</b>
ME 36 	<b>005065</b>	Shotgun	Condenser	Black	Polarized condenser microphone capsule for use with Sennheiser MZH goosenecks; interference tube mini shotgun microphone head	MZH 3015, MZH 3040, MZH 3042, MZH 3062, MZH 3072	<b>PRODUCT WEB PAGE</b>
ME 36 W 	<b>005066</b>	Shotgun	Condenser	White	Polarized condenser microphone capsule for use with Sennheiser MZH goosenecks; interference tube mini shotgun microphone head	MZH 3015, MZH 3040, MZH 3042, MZH 3062, MZH 3072	<b>PRODUCT WEB PAGE</b>



**Microphone capsule portfolio**

	Article number	Pattern	Mic type	Colour	Additional info	Compatible handhelds	Web link
	<b>502575</b>	Cardioid	Dynamic	Black	Microphone module with consistent pick-up pattern (cardioid) and powerful sound for a wide variety of applications	EW-D(X)-SKM-S, SKM 6000, SL Handheld DW, SKM 100 G4, SKM 300 G4, SKM 500 G4	<b>PRODUCT WEB PAGE</b>
	<b>508829</b>	Cardioid	Dynamic	Black	Dynamic microphone capsule (cardioid) with nuanced resolution and transparency for a detailed sound. Suitable for loud environments. Compatible with all Sennheiser wireless systems based on the standard capsule interface	EW-D(X)-SKM-S, SKM 300 G4-S, SKM 500 G4, SKM 6000	<b>PRODUCT WEB PAGE</b>
	<b>508830</b>	High rejection super-cardioid	Dynamic	Black	With its high rejection supercardioid pickup pattern, the MM 445 provides focus in every application and systematically protects against feedback – even at extreme volume levels. Compatible with all Sennheiser wireless systems based on the standard capsule interface	EW-D(X)-SKM-S, SKM 300 G4-S, SKM 500 G4, SKM 6000	<b>PRODUCT WEB PAGE</b>
	<b>506772</b>	Omni-directional	Dynamic	Black	The special design minimizes wind and handling noise - ideal for outdoor presentations	EW-D(X)-SKM-S, SKM 6000, SL Handheld DW, SKM 100 G4, SKM 300 G4, SKM 500 G4	<b>PRODUCT WEB PAGE</b>
	<b>502576</b>	Super-cardioid	Dynamic	Black	Microphone capsule with especially high feedback rejection and consistent pick-up pattern (super-cardioid). Gives vocals a huge amount of space and a voluminous sound	EW-D(X)-SKM-S, SKM 6000, SL Handheld DW, SKM 100 G4, SKM 300 G4, SKM 500 G4	<b>PRODUCT WEB PAGE</b>



**Microphone capsule portfolio**

	Article number	Pattern	Mic type	Colour	Additional info	Compatible handhelds	Web link
 <p>MMD 935</p>	<b>502577</b>	Cardioid	Dynamic	Black	Cardioid microphone head with excellent acoustic properties and uniform on-axis and off-axis response	EW-D(X)-SKM-S, SKM 6000, SL Handheld DW, SKM 100 G4, SKM 300 G4, SKM 500 G4	<b>PRODUCT WEB PAGE</b>
 <p>MMD 945</p>	<b>502579</b>	Super-cardioid	Dynamic	Black	Microphone capsule with especially high feedback rejection and consistent pick-up pattern (super-cardioid)	EW-D(X)-SKM-S, SKM 6000, SL Handheld DW, SKM 100 G4, SKM 300 G4, SKM 500 G4	<b>PRODUCT WEB PAGE</b>
 <p>MME 865</p>	<b>502581</b>	Super-cardioid	Condenser	Black	Microphone module with capacitor technology. With high presence and feedback rejection, it is ideally suited to vocals and speech transmission	EW-D(X)-SKM-S, SKM 6000, SL Handheld DW, SKM 100 G4, SKM 300 G4, SKM 500 G4	<b>PRODUCT WEB PAGE</b>
 <p>MMK 965-1 BK</p>	<b>502582</b>	Cardioid/ super-cardioid, switchable	Condenser	Black	Due to its dual-membrane technology, the pick-up pattern can be easily switched between cardioid and super-cardioid. Can be easily installed without any special tools	EW-D(X)-SKM-S, SKM 6000, SL Handheld DW, SKM 100 G4, SKM 300 G4, SKM 500 G4	<b>PRODUCT WEB PAGE</b>
 <p>MMK 965-1 NI</p>	<b>502584</b>	Cardioid/ super-cardioid, switchable	Condenser	Silver	Due to its dual-membrane technology, the pick-up pattern can be easily switched between cardioid and super-cardioid. Can be easily installed without any special tools	EW-D(X)-SKM-S, SKM 6000, SL Handheld DW, SKM 100 G4, SKM 300 G4, SKM 500 G4	<b>PRODUCT WEB PAGE</b>



## Microphone capsule portfolio

	Article number	Pattern	Mic type	Colour	Additional info	Compatible handhelds	Web link
ME 9002 	<b>502587</b>	Omni-directional	Condenser	Black	Permanently polarized condenser microphone capsule (omni-directional) provides a great clarity of sound while reducing handling noise and pop sensitivity to a minimum. The unique shock mount in the microphone head holds the capsule like a studio condenser microphone	EW-D(X)-SKM-S, SKM 6000	<b>PRODUCT WEB PAGE</b>
ME 9004 	<b>502588</b>	Cardioid	Condenser	Black	Permanently polarized condenser microphone capsule (cardioid) provides a great clarity of sound while reducing handling noise and pop sensitivity to a minimum. The unique shock mount in the microphone head holds the capsule like a studio condenser microphone	EW-D(X)-SKM-S, SKM 6000	<b>PRODUCT WEB PAGE</b>



## Business Communication

# Microphone Pick-Up Patterns

Pick-up pattern	Clarification	Mic examples
OMNIDIRECTIONAL		
	Generally the best way to pick up sound. Microphone position has practically no effect on how/what sound is picked up. Due to possibility of feedback creation, omnidirectional microphones are not recommended to be used in sensitive environment with a lot of reflection – rooms with loudspeaker installations, glass walls etc	ME 9002 MMD 42-1 MKE 1 MKE 2 SL Headmic 1
CARDIOID		
	Perfect microphones for feedback sensitive environments (glass walls, loudspeaker installations, noisy environments). Sound quality changes depending on the position of the microphone. Perfect use cases when there are several speakers talking (debates, conversations between several interlocutors etc.) for separation if there are several speakers	ME 34 MMD 835 MM 435 MMD 935 ME 9004 MEB 104 MEB 114 MEG 40 HSP 4
SUPER-CARDIOID		
	Mainly used in gooseneck microphones as only smaller volume adjustments are needed which allows greater freedom of movement towards/from microphone. In comparison to other microphones, super-cardioid mics allow for bigger distance between speaker and mic itself	ME 35 MM 445 MMD 845 MME 865 MMD 945
SHOTGUN		
	Shotgun microphones are the most directed mics, allowing for a great noise reduction from the sides. Shotgun mics are used when the speaker/presenter/educator is relatively far away from/not right in front of the mic.	ME 36



Business Communication

# Microphone Types

	DYNAMIC	CONDENSER	
		ELECTRET	TRUE CONDENSER
ROBUSTNESS	• • •	• •	• •
SENSITIVITY	•	• •	• • •
48V PHANTOM POWER	—	Necessary	Necessary
BUDGET	•	• •	• • •

