

MMS 3404D

DELEGATE MICROPHONE SET

DESCRIPTION

The desktop delegate microphone set MMS 3404D features a latched button to enable the microphone in mixed mode with other active MMS 3404D and MMS 3405P (if no priority button has been pressed on chairman's set). The button is completed with a LED indicator, lit when pressed.

Furthermore the microphone capsule has a LED ring that is ON when the microphone is active. The 46 cm gooseneck microphone mounted on the console has a cardioid pattern, while the miniature high quality transducer assures a good sound reinforcement in small size rooms without needing an additional sound reinforcement system. MMS 3404D are cascaded directly to one or both inputs available on MMS 3405P, by means of CAT 5FTP cable provided.



FEATURES

- PRO-quality cardioid microphone with LED ring mounted on 46cm gooseneck
- Push-to-lock switch for microphone activation in mixed mode, with LED indicator
- Hi quality transducer for sound reinforcement purpose, automatically disabled when microphone is active
- RJ 45 terminals for daisy-chain link to MMS 3405P chairman console through CAT5 FTP cable
- Robust shielded enclosure suitable for desktop or semi-flush mounting

TECHNICAL SPECIFICATIONS**Microphone specifications**

Type:	Electret
Directivity:	Hypercardioid
Sensitivity:	65 dB
Frequency Response (-3dB):	70 Hz ÷ 18 kHz

Console specifications

Console Type:	Conference
Working with	FORUM 3000
LED indicators:	Yes

Connections

Connectors:	RJ45
Cable:	FTP CAT 5
Max number in daisy-chain:	79
Mixing:	Yes

Standard compliance

CE marking:	Yes
-------------	-----

Physical specifications

Color:	Grey
--------	------

Size

Height:	63 mm / 2.48 inches
Width:	170 mm / 6.69 inches
Depth:	154 mm / 6.06 inches
Weight:	1 kg / 2.2 lbs

Shipping informations

Package Height:	150 mm / 5.91 inches
Package Width:	520 mm / 20.47 inches
Package Depth:	190 mm / 7.48 inches
Package Weight:	1.57 kg / 3.46 lbs

PART NUMBER

- **14322020**

MMS 3404D

EAN 8024530010218

DRAWINGS

